



Future Fishing Vessel Technologies

Challenges for a sustainable European fishing fleet

Emilio F. Campana, Claudio Lugni CNR - INSEAN , Marine Technology Research Centre Rome, Italy

CNR IAMC, Capo Granitola, June 6-7, 2012

1. Scope of the thematic

Improve <u>Safety</u> and <u>Energy Efficiency</u>

The general scope is to improve:

- 1. The safety at sea
- 2. The Energy efficiency of the fishing vessels

Rules to reduce emissions of greenhouse gases (GHGs) from international shipping were adopted by the Marine Environment Protection Committee (MEPC) of the **International Maritime Organization** (11 to 15 July 2011), representing the **first ever mandatory global greenhouse gas reduction regime for an international industry sector.**

Regulations on energy efficiency for ships :

- Energy Efficiency Design Index (EEDI), for new ships, and
- Ship Energy Efficiency Management Plan (SEEMP) for all ships.

The regulations apply to all ships of **400 gross tonnage and above** and are expected to enter into force on 1 January 2013

It is reasonable to foresee that an Energy Efficiency Index will be introduced sooner or later for fishing vessels too.

1. Scope of the thematic

Improve <u>Safety</u> and <u>Energy Efficiency</u>

The general scope is to **develop new design tools** for **safer** and **greener** fishing vessels

Current tools adopted for the design are inadequate, based on :


- calm water simulation and tests for powering and
- linear seakeeping models.


Non linear events are never taken into account. **Dynamic stability** and other **non-linear motions in heavy seas** are NOT considered (e.g. **damaged stability** , **effects of water on deck**, etc ...)


There is a need for more knowledge on the behavior of these ships in a representative marine environment.

Develop mathematical and simulation models to study fishing vessels in real wind and sea state condition and in operation, in order to improve performance and reliability of structures and safety for personnel in fisheries and aquaculture

Main Challenges on Violent Water-Vessel	Investigation Tools
 > Water on Deck Phenomena Damage to superstructures & equipments > Slamming > Dynamic stability in waves Parametric roll Broaching Capsizing > Sloshing 	 Numerical Methods BEM Method CFD Methods (URANS level) Domain Decomposition (DD) Model Tests Global quantities (i.e. ship motions, incident wave system) Local quantities (i.e. pressure, local loads, >accelerations, relative wave height) Full Scale Trials Global quantities (i.e. ship motions, sea state) Local quantities (???)







2. Big challenges and ...


Extreme waves from the real environment ...

Olivieri et al. 2006

Extreme waves at Laboratory scale ...

...relation with the proposed topics

Deck and superstructures



.

15

05


Violent fluid – structure interactions: extreme waves, WOD, slamming, sloshing, parametric roll, broaching and capsizing

Lugni and Greco, submitted to Journal of Fluids and Structures

Water on deck, slamming, sloshing in tanks


Wave impacts (water on deck, slamming) may damage infrastructures and load on board. Sloshing motion in tanks can produce air compression with damage/risk of the infrastructure.

Dynamic coupling between the sloshing and the external motions can greatly alter the system dynamics.



Lugni et al. 2010

SPH simulation of WOD and impact on superstructures



Colagrossi et al. 2009

Parametric roll, broaching and capsizing





Bulian et al. 2009



Olivieri et al. 2009




Model tests to evaluate bottom and side pressure, added resistance, motions and loads, ...

Heave and pitch motions





Deck Pressures




3D & Top videos Greco, Lugni to appear on J. Fluids and Structures


Prediction the ship's behavior in calm water and in waves, dynamic loading and impacts, propulsion and cavitation







Domain Decomposition Method



An example of fluid flow where one region is interested by fragmentation and one is almost flat.

The modelling of the former requires the use of a complex model that takes into account phenomena of fragmenting interface, of air entrapment of viscous dissipation of vorticity, etc.

The application of such a method in the whole fluid domain is computationally non-efficient for design purposes. The use of a potential solver in the surrounding region would reduce the CPU time.

Physical / numerical methods and models: focus on Dynamics

- Dynamic stability
- Heave and pitch motions
- Relative vertical motion
- Water-on-deck occurrence and its coupling whit dynamic stability
- Volume of shipped water
- Evolution of the shipped water
- Deck pressure
- Bottom-slamming occurrence
- Bottom-slamming pressure
- Flare pressure
- Added resistance in waves
- Wave radar signals

CFD - EFD integration

CFD is fundamental in:

Filling the gaps between measured points and providing quantitative information where no data were collected

Allowing a complete physical understanding

acquisition

X-Band radar systems (wave radar)

- Scan the sea surface with high temporal and spatial resolution
- Provides reliable information about wave fields and surface currents:

wavelength, period and direction of dominant waves, significant wave height and high resolution surface and bathymetry maps.


Possible impacts

- Improve the safety of the fishing vessel (minimize the motions and the risk of dynamic instability)

Reliable estimation of the seasurface current allow an optimal strategy for low consumption and the best positioning of the net cages → energy efficiency
 Oil spill detection and propagation

- Facilitate rescue operations via real time knowledge of wind and currents

With existent installations of nautical radar systems in all marine structures, platforms and ships, the measurements may be implemented in a very cost-efficient way.



4. Where to concentrate future efforts ?

• Hydrodynamics (1) : Simulation + EFD validation

numerical full 3D description / simulation of stochastic environment including waves, current and wind

• Hydroelasticity (1) : Theory + EFD validation

methods for analyzing and designing large flexible construction (e.g. large fish farms) in a real marine environment.

• Hydrodynamics (2) : Modeling

Develop models for predicting the stability and capsizing conditions of fishing vessels in real seas and during real operation in bad weather conditions (e.g. short crested waves and current)

• Hydrodynamics (3) : Theory + Simulation

Develop a Simulation Based Design framework for using experimentally validated numerical tools in the design process

•Hydrodynamics & Electromagnetism : theory + sea trial

Improve X-Band radar systems to provide information about the spatialtemporal behavior of wave fields and surface currents